

NIKSAN

Defence Industry

PCP/CO2

PISTOLS/RIFLES



Niksan Defence company entered the industry as a modest, small business in the 1970s. The company produced many types of hunting products especially shotguns, blank-signal pistols and fishing products. In the early 2000s, the company supplied parts to almost all the companies in our industry with the plastic injection machines acquired and the molds it has produced in-house.

Niksan Defence company, closely following the changing and developing technology, has taken firm steps towards, growth and

factorization by adapting an innovative and devoted business model and making investments especially in the R&D department.

The company, serving its industry with more than 90 high technology plastic machines and CNC machines 2 factories with 11.000 square meters closed area that were built in Beyşehir Industrial Zone and Üzümlü in the years of 2015-2016, also with more than 800 molds of its own and 185 experienced employees, is realizing projects with TSK (Turkish Army) and the other armies with the help of high-level security certifications and special productions permits it owned.

Niksan Defence company, which celebrates its 40th year under the leadership of our founder, master, ancestor Mr. Niyazi KUZ will continue its investments new projects, and growth without slowing down.

NIKSAN

Defence Industry



 ELF



ELF-S PCP AIR RIFLE
Our Legendary Air Rifle Models



60 SHOTS
PER FILL FROM
200 /100BAR

NIKSAN
Defence Industry

Anti-Hammer Bounce

Trigger Four Way -
Adjustable

Adjustable Cheek Piece

Self Indexing Magazine

Picatinny Rail

Transfer Port Power Adjuster

Ergonomic Styled Stock

High Precision Barrel

TECHNICAL DETAILS

Stock	Synthetic	Fill Pressure	200 bar
Barrel Length	55cm/21.65 inch	Muzzle	1/2M UNF
Total Length	78cm/30.70 inch	Weight	3.9 kg/8.59 Pound
Air Tank Volume	280cc	Velocity	5.5mm /.22cal : 900 FPS 18.13gr JSB
Magazine Type	4.5 mm / .177cal : 14 Shots , 5.5mm /.22cal : 12Shots , 6.35mm/.25cal : 10Shots		



ELF-W PCP AIR RIFLE
Our Legendary Air Rifle Models



60 SHOTS
PER FILL FROM
200 /100BAR

NIKSAN
Defence Industry

Anti-Hammer Bounce

Trigger Four Way -
Adjustable

Adjustable Cheek Piece

Self Indexing Magazine

Picatinny Rail

Transfer Port Power Adjuster

Ergonomic Styled Stock

High Precision Barrel

TECHNICAL DETAILS

Stock	Walnut	Fill Pressure	200 bar
Barrel Length	55cm/21.65 inch	Muzzle	1/2M UNF
Total Length	78cm/30.70 inch	Weight	3.9 kg/8.59 Pound
Air Tank Volume	280cc	Velocity	5.5mm /.22cal : 900 FPS 18.13gr JSB
Magazine Type	4.5 mm / .177cal : 14 Shots , 5.5mm /.22cal : 12Shots , 6.35mm/.25cal : 10Shots		



60 SHOTS
PER FILL FROM
200 /100BAR

NIKSAN
Defence Industry

Anti-Hammer Bounce

Trigger Four Way-
Adjustable

Adjustable Cheek Piece

Self Indexing Magazine

Picatinny Rail

Transfer Port Power Adjuster

Ergonomic Styled Stock

High Precision Barrel

TECHNICAL DETAILS

Stock	Synthetic	Fill Pressure	200 bar
Barrel Length	55cm/21.65 inch	Muzzle	1/2M UNF
Total Length	78cm/30.70 inch	Weight	3.9 kg/8.59 Pound
Air Tank Volume	280cc	Velocity	5.5mm /.22cal : 900 FPS 18.13gr JSB
Magazine Type	4.5 mm / .177cal : 14 Shots , 5.5mm /.22cal : 12Shots , 6.35mm/.25cal : 10Shots		

NIKSAN
Defence Industry



 **OZARK**



144 SHOTS
PER FILL FROM
250 / 100 BAR

Anti-Hammer Bounce

Trigger Four Way - Adjustable

Self Indexing Magazine

Picatinny Rail

Transfer Port Power Adjuster

Ergonomic Styled Stock

High Precision Barrel

TECHNICAL DETAILS

Stock	Walnut	Fill Pressure	250 bar
Barrel Length	55cm/21.65 inch	Muzzle	1/2M UNF
Total Length	104cm/40.94 inch	Weight	3.3 kg/7.27 Pound
Air Tank Volume	425cc	Velocity	5.5mm /.22cal : 900 FPS 18.13gr JSB
Magazine Type	4.5 mm / .177cal : 14 Shots , 5.5mm /.22cal : 12Shots , 6.35mm/.25cal : 10Shots		





144 SHOTS
PER FILL FROM
250 / 100 BAR

Anti-Hammer Bounce

Adjustable Cheek Piece

Adjustable Stock

Trigger Four Way - Adjustable

Self Indexing Magazine

Picatinny Rail

Transfer Port Power Adjuster


Ergonomic Styled Stock

High Precision Barrel

TECHNICAL DETAILS

Stock	Synthetic- Walnut	Fill Pressure	250 bar
Barrel Length	55cm/21.65 inch	Muzzle	1/2M UNF
Total Length	97cm/38.18 inch	Weight	3.15 kg/6.94 Pound
Air Tank Volume	425cc	Velocity	5.5mm / .22cal : 900 FPS 18.13gr JSB
Magazine Type	4.5 mm / .177cal : 14 Shots , 5.5mm / .22cal : 12Shots , 6.35mm/.25cal : 10Shots		





144 SHOTS
PER FILL FROM
250 / 100 BAR

Anti-Hammer Bounce

Adjustable Cheek Piece

Adjustable Stock

Trigger Four Way - Adjustable

Self Indexing Magazine

Picatinny Rail

Transfer Port Power Adjuster

Ergonomic Styled Stock

High Precision Barrel

TECHNICAL DETAILS

Stock	Synthetic	Fill Pressure	250 bar
Barrel Length	55cm/21.65 inch	Muzzle	1/2M UNF
Total Length	97cm/38.18 inch	Weight	3.2 kg/7.05 Pound
Air Tank Volume	425cc	Velocity	5.5mm / .22cal : 900 FPS 18.13gr JSB
Magazine Type	4.5 mm / .177cal : 14 Shots , 5.5mm / .22cal : 12Shots , 6.35mm/.25cal : 10Shots		





144 SHOTS
PER FILL FROM
250 / 100 BAR

Anti-Hammer Bounce

Adjustable Cheek Piece

Adjustable Stock

Trigger Four Way - Adjustable

Self Indexing Magazine

Picatinny Rail

Transfer Port Power Adjuster

Ergonomic Styled Stock

High Precision Barrel

TECHNICAL DETAILS

Stock	Synthetic	Fill Pressure	250 bar
Barrel Length	55cm/21.65 inch	Muzzle	1/2M UNF
Total Length	97cm/38.18 inch	Weight	3.2 kg/7.05 Pound
Air Tank Volume	425cc	Velocity	5.5mm /.22cal : 900 FPS 18.13gr JSB
Magazine Type	4.5 mm / .177cal : 14 Shots , 5.5mm /.22cal : 12Shots , 6.35mm/.25cal : 10Shots		



NIKSAN
Defence Industry



ESCALADE

ESCALADE-S PCP AIR RIFLE
Our Legendary Air Rifle Models



270 SHOTS
PER FILL FROM
250 / 100 BAR

NIKSAN
Defence Industry

Anti-Hammer Bounce

Trigger Four Way - Adjustable

Self Indexing Magazine

Picatinny Rail

Transfer Port Power Adjuster

Ergonomic Styled Stock

High Precision Barrel

TECHNICAL DETAILS

Stock	Synthetic	Fill Pressure	250 bar
Barrel Length	55cm/21.65 inch	Muzzle	1/2M UNF
Total Length	100cm/39.37 inch	Weight	4.0 kg/8.82 Pound
Air Tank Volume	850cc	Velocity	5.5mm /.22cal : 900 FPS 18.13gr JSB
Magazine Type	4.5 mm / .177cal : 14 Shots , 5.5mm /.22cal : 12Shots , 6.35mm/.25cal : 10Shots		



ESCALADE-C PCP AIR RIFLE
Our Legendary Air Rifle Models



270 SHOTS
PER FILL FROM
250 / 100 BAR

NIKSAN
Defence Industry

Anti-Hammer Bounce

Trigger Four Way - Adjustable

Self Indexing Magazine

Picatinny Rail

Transfer Port Power Adjuster

Ergonomic Styled Stock

High Precision Barrel

TECHNICAL DETAILS

Stock	Synthetic	Fill Pressure	250 bar
Barrel Length	55cm/21.65 inch	Muzzle	1/2M UNF
Total Length	100cm/39.37 inch	Weight	4.0 kg/8.82 Pound
Air Tank Volume	850cc	Velocity	5.5mm / .22cal : 900 FPS 18.13gr JSB
Magazine Type	4.5 mm / .177cal : 14 Shots , 5.5mm / .22cal : 12Shots , 6.35mm/.25cal : 10Shots		



ESCALADE-T AIR RIFLE
Our Legendary Air Rifle Models



270 SHOTS
PER FILL FROM
250 / 100 BAR

NIKSAN
Defence Industry

Anti-Hammer Bounce

Trigger Four Way - Adjustable

Self Indexing Magazine

Picatinny Rail

Transfer Port Power Adjuster

Ergonomic Styled Stock

High Precision Barrel

TECHNICAL DETAILS

Stock	Synthetic	Fill Pressure	250 bar
Barrel Length	55cm/21.65 inch	Muzzle	1/2M UNF
Total Length	100cm/39.37 inch	Weight	4.2 kg/9.25 Pound
Air Tank Volume	850cc	Velocity	5.5mm / .22cal : 900 FPS 18.13gr JSB
Magazine Type	4.5 mm / .177cal : 14 Shots , 5.5mm / .22cal : 12Shots , 6.35mm/.25cal : 10Shots		



ESCALADE-TC PCP AIR RIFLE
Our Legendary Air Rifle Models



270 SHOTS
PER FILL FROM
250 / 100 BAR

NIKSAN
Defence Industry

Anti-Hammer Bounce

Trigger Four Way - Adjustable

Self Indexing Magazine

Picatinny Rail

Transfer Port Power Adjuster

Ergonomic Styled Stock

High Precision Barrel

TECHNICAL DETAILS

Stock	Synthetic	250 bar
Barrel Length	55cm/21.65 inch	Muzzle 1/2M UNF
Total Length	100cm/39.37 inch	Weight 4.2 kg/9.25 Pound
Air Tank Volume	850cc	Velocity 5.5 mm /.22cal : 900 FPS 18.13gr JSB
Magazine Type	4.5 mm / .177cal : 14 Shots , 5.5mm /.22cal : 12Shots , 6.35mm/.25cal : 10Shots	



NIKSAN
Defence Industry



ARCHERO

ARCHERO-S PCP AIR RIFLE
Our Legendary Air Rifle Models



60 SHOTS
PER FILL FROM
200 /100BAR



Anti-Hammer Bounce

Adjustable Cheek Piece

Trigger Four Way - Adjustable

Self Indexing Magazine

Picatinny Rail

Transfer Port Power Adjuster

Ergonomic Styled Stock

High Precision Barrel

TECHNICAL DETAILS

Stock	Synthetic	Fill Pressure	200 bar
Barrel Length	55cm/21.65 inch	Muzzle	1/2M UNF
Total Length	100cm/39.37 inch	Weight	3.5 kg/7.71 Pound
Air Tank Volume	280cc	Velocity	5.5mm /.22cal : 900 FPS 18.13gr JSB
Magazine Type	4.5 mm / .177cal : 14 Shots , 5.5mm /.22cal : 12Shots , 6.35mm/.25cal : 10Shots		



ARCHERO-C PCP AIR RIFLE
Our Legendary Air Rifle Models



60 SHOTS
PER FILL FROM
200 /100BAR



Anti-Hammer Bounce

Adjustable Cheek Piece

Trigger Four Way - Adjustable

Self Indexing Magazine

Picatinny Rail

Transfer Port Power Adjuster

Ergonomic Styled Stock

High Precision Barrel

TECHNICAL DETAILS

Stock	Synthetic	Fill Pressure	200 bar
Barrel Length	55cm/21.65 inch	Muzzle	1/2M UNF
Total Length	100cm/39.37 inch	Weight	3.5 kg/7.71 Pound
Air Tank Volume	280cc	Velocity	5.5mm / .22cal : 900 FPS 18.13gr JSB
Magazine Type	4.5 mm / .177cal : 14 Shots , 5.5mm / .22cal : 12Shots , 6.35mm/.25cal : 10Shots		

NIKSAN

Defence Industry



 TACTO



30 SHOTS
PER FILL FROM
200 /100BAR

Anti-Hammer Bounce

Adjustable Cheek Piece

Adjustable Stock

Trigger Four Way - Adjustable

Self Indexing Magazine

Picatinny Rail

Transfer Port Power Adjuster

Ergonomic Styled Stock

High Precision Barrel

TECHNICAL DETAILS

Stock	Synthetic	Fill Pressure	200 bar
Barrel Length	28cm/11.02 inch	Muzzle	1/2M UNF
Total Length	68cm/26.77 inch	Weight	2.5 kg/5.51 Pound
Air Tank Volume	110cc	Velocity	5.5mm / .22cal : 500 FPS 18.13gr JSB
Magazine Type	4.5 mm / .177cal : 14 Shots , 5.5mm / .22cal : 12Shots , 6.35mm/.25cal : 10Shots		





144 SHOTS
PER FILL FROM
250/ 100 BAR

Anti-Hammer Bounce

Adjustable Cheek Piece

Adjustable Stock

Trigger Four Way - Adjustable

Self Indexing Magazine

Picatinny Rail

Transfer Port Power Adjuster

Ergonomic Styled Stock

High Precision Barrel

TECHNICAL DETAILS

Stock	Synthetic	Fill Pressure	250 bar
Barrel Length	36cm/14.17 inch	Muzzle	1/2M UNF
Total Length	77.5cm/30.51 inch	Weight	2.9 kg/6.39 Pound
Air Tank Volume	425cc	Velocity	5.5 mm / .22cal : 750 FPS 18.13gr JSB
Magazine Type	4.5 mm / .177cal : 14 Shots , 5.5mm/.22cal : 12Shots , 6.35mm/.25cal : 10Shots		





30 SHOTS
PER FILL FROM
200 /100BAR

Anti-Hammer Bounce

Adjustable CheekPiece

Adjustable Stock

Trigger Four Way - Adjustable

Self Indexing Magazine

Picatinny Rail

Transfer Port Power Adjuster

Ergonomic Styled Stock


High Precision Barrel

TECHNICALDETAILS

Stock	Synthetic	Fill Pressure	200 bar
Barrel Length	28cm/11.02 inch	Muzzle	1/2M UNF
Total Length	68cm/26.77 inch	Weight	2.5 kg/5.51 Pound
Air Tank Volume	110cc	Velocity	5.5mm /.22cal : 500 FPS 18.13gr JSB
Magazine Type	4.5 mm / .177cal : 14 Shots , 5.5mm /.22cal : 12Shots , 6.35mm/.25cal : 10Shots		

NIKSAN

Defence Industry



NKS-CP17



TECHNICAL DETAILS

System/Power	Source	12gCO2Capsule	Energy	< 3 J
Caliber/Ammo		4.5mm(.177)steel BB	Weight	600g
Capacity		18 Shots	Velocity	Up to 130 m/s
Sights	Safety	Dangerous	Length	220mm
		Fixed front and rear	Barrel Length	130 mm
		Manual		
		300m		



TECHNICAL DETAILS

System/Power	Source	12gCO2Capsule	Energy	< 3 J
Caliber/Ammo		4.5mm(.177)steel BB	Weight	600g
Capacity		18 Shots	Velocity	Up to 130 m/s
Sights	Safety	Dangerous	Length	220mm
		Fixed front and rear	Barrel Length	130 mm
		Manual		
		300m		



NIKSAN

Defence Industry

Made in Turkey

NIKSAN



NKS-CP92



TECHNICAL DETAILS

System/Power	Source	12gCO2Capsule	Energy	< 3 J
Caliber/Ammo		4.5mm(.177)steel BB	Weight	600g
Capacity		18 Shots	Velocity	Up to 130 m/s
Sights	Safety	Dangerous	Length	220mm
	area up to	Manual	Barrel Length	130 mm
		300m		



TECHNICAL DETAILS

System/Power	Source	12gCO2Capsule	Energy	< 3 J
Caliber/Ammo		4.5mm(.177)steel BB	Weight	600g
Capacity		18 Shots	Velocity	Up to 130 m/s
Sights	Safety	Dangerous	Length	220mm
		Manual	Barrel Length	130 mm
		300m		

NIKSAN
Defence Industry



SERPENT



BUTTSTOCK

TECHNICALDETAILS

Caliber	.177(4.5mm) .22(5.5mm)	Barrel Leght	210mm
Capsule Type	12g capsule no-threaded	Scope Rail	11mm
Size L x W x H	390 x 45 x 146 mm	Grip/Stock	Ballistic Polymer
Net Weight	888g	Velocity	4.5mm,0.55g pellets, 500 fps
Magazine	.177(4.5mm) - 9 Shots/ .22(5.5mm) -	Velocity	5.5mm,1.00g pellets, 400 fps



NIKSAN

Defence Industry